

AMENDED

APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... DEC 26 1972  
 Returned to applicant for correction..... JAN 31 1973  
 Corrected application filed..... APR 9 1973  
 Map filed..... MAR 27 1973

The applicant Julius Bunkowski  
 of P. O. Box 718 Carson City, County of.....  
 State of Nevada 89701, hereby make..... application for permission to appropriate the public  
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-  
 tion; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is Underground  
Name of stream, lake or other source.
2. The amount of water applied for is 2.0 second-feet  
One second-foot equals 448.83 gals. per min.  
 (a) If stored in reservoir give number of acre-feet.....acre-feet
3. The water to be used for Quasi-Municipal and Domestic  
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
  - (a) Irrigation (state number of acres to be irrigated).....
  - (b) Stockwater (state number and kinds of animals to be watered).....
  - (c) Other use (describe fully under "No. 12. Remarks").....
  - (d) Power:
    - (1) Horsepower developed.....
    - (2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point: in the SE¼ SW¼ Sec. 24,  
T16N., R20E., M.D.B.&M., from which the S¼ corner of said Sec. 24  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,  
bears S. 50° 07' 40" E., 1348.38 feet.  
it should be stated.
6. Place of use Portions of Sec. 19, 20, 29, 30, and 31, T.16N., R.21E.,  
Describe by legal subdivision, if on unsurveyed land it should be so stated.  
M.D.B.&M., and Sec. 24, 25, and 36, T.16N., R.20E., M.D.B.&M.
7. Use will begin about Jan. 1 and end about Dec. 31, of each year.  
Month Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans  
 and specifications of your diversion or storage works.) Well, pump, and distribution  
system  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works \$5,000  
10. Estimated time required to construct works 1 yr.  
11. Estimated time required to complete the application to beneficial use 5 yr.  
12. Remarks 200 single family units

Applicant

By/ Julius Bunkowski  
P. O. Box 718

Compared 1k/cm 1k/bs Carson City, Nevada 89701

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipe line near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The total combined diversion of water under this Permit from any and/or all sources and under any and/or all water rights together with Permits 23705, 23706, 24387, 24388, 24472, 25454, 25483, 25484, 26008, 26180, 26181, 26182, 26185, 26187, 26188, 26189, 26755, 27202, 27203 and 27204 shall not exceed 730 million gallons annually.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 2.0 cubic feet per second, but not to exceed 471.82 million gallons annually.

Actual construction work shall begin on or before January 11, 1974

Proof of commencement of work shall be filed before February 11, 1974

Work must be prosecuted with reasonable diligence and be completed on or before January 11, 1975

Proof of completion of work shall be filed before February 11, 1975

Application of water to beneficial use shall be made on or before January 11, 1978

Proof of the application of water to beneficial use shall be filed on or before February 11, 1978

Map in support of proof of beneficial use shall be filed on or before February 11, 1978

Commencement of work filed MAR 8 1974

Completion of work filed FEB 19 1975

Proof of beneficial use filed

Cultural map filed

Certificate No. Issued

Recorded Bk. Page

IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 11th day of July

A.D. 19 73

*Roland D. Westergard*  
State Engineer

County Recorder  
218 (Rev. 1-70)  
46304 0.1 c.f.s.  
46626 0.3 c.f.s.  
48635 0.11 c.f.s.  
48631 0.22 c.f.s.  
49493 0.11 c.f.s.  
49492 0.11 c.f.s.  
50653 1.04 c.f.s.